



Cable hanger, non-insulated, bolt-on, for 1 1/4" coaxial cable and elliptical waveguide E65 and E70

Product Description

Hanger, non-insulated, bolt-on for coaxial cable
LCF114 / LCFS114 / RCF114
and for elliptical waveguide E65/EP65 and E70/EP70
made of stainless steel, kit of 10



Features/Benefits

Stainless steel hangers for supporting elliptical waveguide or coaxial cable to tower. Recommended spacing 1m (3 feet). Hanger may be attached to angle adapters, tower standoffs, member mounting holes with up to M10 or 3/8"-16 hardware or to round member adapters through slot

Technical Specifications

Product Line	Coaxial Cable Accessories Radiating Cable Accessories Elliptical Waveguide Accessories Hybrid Cable Accessories
Product Type	Hanger
Hanger Type	Bolt-On, non-insulated
Transmission Line Type	LCF114 LCFS114 RCF114 UCF114 E65 EP65 E70 EP70 HB114
Cable Type	Coaxial Foam Dielectric Radiating Cable Hybrid
Cable Size	1-1/4"
Number of Cable / Waveguide Runs	1
Material	Stainless Steel
Operation Temperature, °C(°F)	-50 to 85 (-58 to 185)
Storage Temperature, °C(°F)	-50 to 85 (-58 to 185)
Package Quantity	10

Notes

Other Documentation

All information contained in the present datasheet is subject to confirmation at time of ordering